



220 Huff Ave, Suite 400
Greensburg, PA 15601



PH: (724) 552-4904
F: (724) 552-4905



sales@agdisplays.com
agdisplays.com



RUGGED MOBILE DEVICES



About Us

For over a decade AGDisplays has been a leading provider of high quality LCD enhancement products and services for the industrial markets. We lead the way in offering an extensive range of custom panel solutions that improve standard display attributes while maximizing performance in any environment. The AGDisplays teams are experts in LCDs, from building simple or complex designs to integration work including ruggedization.

In our 124,000 sq foot facility, we offer over 800 off the shelf products that include tablets, open and closed frame LCDs and much more. Our knowledge in innovative LCD technology and our high-quality control standards separate us from the rest. At AGDisplays, our teams have a true commitment to becoming your trusted partner.



Our Services

- Off the Shelf Products
- High Bright Integration
- NVIS Design & Integration
- Touchscreen Integration
- Custom Glass Supply
- Film Enhancements
- Bonding Services
- Custom LED and Controllers
- Lifecycle Management
- Ruggedization
- Turnkey & Design Services
- EMI Shielding
- Drop In Replacement
- Integration and Assembly
- Complex Industrial Repairs
- Post & Extended Warranty
- Parts Management
- Zero Faulty Pixel Inspection

Industries We Serve

MILITARY



AVIONICS



HOTEL



MARINE



MARKETING



MEDICAL



RESTAURANT



RETAIL



TRANSPORTATION



Rugged Tablets

Part Number	Size	IP Rating	Resolution	Operating System	Processor Speed
AG045-A-QH-4-3-IP67-V1	IP67	4.5	540 x 960	Android 5.1 (Android 7.0 - Optional)	1.44 - 1.84 GHz
AG055-A-H-4-3-IPNA-V1	IP67	5.5	1920 x 1080	Android 5.1 (Android 7.0 - Optional)	1.44 - 1.84 GHz
AG070-A-H-4-3-IP67-VB	IP67	7	1280 x 720	Android 5.1	1.5 GHz
AG070-A-WX-4-2-IP54-V1	IP54	7	1280 x 800	Android 6.0	1.5 GHz
AG070-A-WV-1-0-IP64-V1	IP64	7	800 x 480	Android 2.3	1 GHz
AG070-W-WV-1-0-IP64-V1	IP64	7	800 x 480	WinCE 7.0	1 GHz
AG070-L-WV-1-0-IP64-V1	IP64	7	800 x 480	Linux 2.6.35 + debian 6	1 GHz
AG070-A-WV-2-1-IP64-V1	IP64	7	800 x 480	Android 5.5.1	1 GHz
AG070-W-WV-2-1-IP64-V1	IP64	7	800 x 480	WinCE 7.0	1 GHz
AG070-L-WV-2-1-IP64-V1	IP64	7	800 x 480	Linux Debian8	1 GHz
AG070-A-H-4-3-IP65-V1	IP65	7	1280 x 720	Android 5.1	1.3 GHz
AG070-A-WX-4-2-IP67-V1	IP67	7	1280 x 800	Android 6.0	1.3 GHz
AG070-A-WX-4-2-IP67-VB	IP67	7	1280 x 800	Android 6.0	1.33-1.8 GHz
AG070-A-HD-4-3-IP67-V1	IP67	7	1280 x 720	Android 5.1	1.44 GHz
AG070-A-WX-4-2-IP68-V1	IP68	7	1280 x 800	Android 5.1	1.44 GHz
AG070-L-WS-4-1-IP65-V1	IP65	7	1024 x 600	Linux Debian	1.6 GHz
AG080-A-WX-4-4-IP67-V1	IP67	8	1280 x 800	Android 5.1	1.44 - 1.84 GHz
AG080-W-WX-4-4-IP67-V1	IP67	8	1280 x 800	Windows 10 Home	1.44 - 1.84 GHz
AG080-W-WX-4-2-IP67-V1	IP67	8	1280 x 800	Windows 10 Home	1.33-1.84 GHz
AG080-A-F-8-3-IP68-V1	IP68	8	1280 x 800 1920 x 1080 optional	Android 7.0	2.16 GHz
AG080-A-F-8-3-IP68-V2	IP68	8	1280 x 800 Pixels, FHD 1920 x 1080pxs is optional	Android 7.1	2.16 GHz



Rugged Tablets



Part Number	Size	IP Rating	Resolution	Operating System	Processor Speed
AG080-A-WX-4-1-IP68-V1	IP68	8	800 x 1280	Android 5.1	2.16 GHz
AG080-W-WX-4-1-IP68-V1	IP68	8	800 x 1280	Windows 10	2.16 GHz
AG080-A-WX-8-2-IP68-V1	IP68	8	1280 x 800	Android 7.1	up to 2 GHz
AG101-A-WX-4-2-IP54-V1	IP54	10.1	1280 x 800	Android 6.0	1.3 GHz
AG101-W-SX-4-2-IP65-V3	IP65	10.1	1280 x 800	Windows 10 Home	1.5 GHz
AG101-A-SX-4-2-IP65-V2	IP65	10.1	1280 x 800	Android 5.1 OS	1.3 GHz
AG101-A-SX-4-2-IP65-V4	IP65	10.1	1280 x 800	Android 4.4	1.5 GHz
AG101-A-SX-4-2-IP65-V3	IP65	10.1	1280 x 800	Android 5.1	1.3 GHz
AG101-W-SX-4-2-IP65-V1	IP65	10.1	1280 x 800	Win. 10 Home	1.4 GHz
AG101-W-SX-4-2-IP65-V2	IP65	10.1	1280 x 800	Windows 10 Home	1.44 - 1.84 GHz
AG101-L-WX-4-2-IP65-V1	IP65	10.1	1280 x 800; 1920 x 1200 optional	Linux Ubuntu V16.4	1.44 - 1.84 GHz
AG101-L-WX-4-2-IP65-V2	IP65	10.1	1280 x 800; 1920 x 1200 optional	Linux V16.6	
AG101-W-WX-4-2-IP65-V1	IP65	10.1	1280 x 800; 1920 x 1200 optional	Windows 7	1.5 GHz
AG101-W-WX-4-2-IP65-V2	IP65	10.1	1280 x 800; 1920 x 1200 optional	Windows 10	1.5 GHz
AG101WX-A-4-2-IP65-V1	IP65	10.1	1366 x 768	Android 4.4.2	1.33-1.83 GHz
AG101-W-SX-4-2-IPNA-V1	IP65	10.1	1280 x 800	Windows 10 home	1.33-1.83 GHz
AG101-A-SX-4-2-IPNA-V1	IP65	10.1	1280 x 800	Android 5.1	1.8-2.0 GHz
AG101-A-H-10-4-IP54-V1	IP54	10.1	1920 x 1200	Android 7.1	2.1 GHz
AG150-A-X-8-2-IP65-V1	IP65	15	1024 x 768	Android 6.0	1.5 GHz

Rugged Smartphones

Part Number	Size	IP Rating	Resolution	Operating System	Processor Speed
AG050S-A-D-4-2-IP68-V1	IP68	5	960 x 480	Android 8.1	2 GHz
AG050S-A-F-8-3-IP68-V1	IP68	5	1920 x 1080	Android 8.1	1.5 GHz
AG052S-A-F-8-6-IP68-V1	IP68	5.2	1920 x 1080	Android 8.1	2 GHz
AG055S-A-H-8-4-IP68-V1	IP68	5.5	1280 x 640	Android 8.1	1.5 GHz
AG055S-A-H-8-4-IP68-V2	IP68	5.5	1440 x 720	Android 8.0	2 GHz
AG055S-A-F-8-4-IP68-V1	IP68	5.5	1920 X 1080	Android 7.0	1.5 GHz
AG055S-A-F-8-4-IP68-V2	IP68	5.5	1920 x 1080	Android 7.0	2 GHz
AG055S-A-F-8-4-IP65-V1	IP65	5.5	1920 x 1080	Android 7.1	2 GHz
AG055S-A-H-8-2-IP68-V1	IP68	5.5	1280 x 720	Android 7.1	2.5 GHz
AG057S-A-F-8-6-IP68-V1	IP68	5.7	2160 x 1080	Android 8.1	1.3 GHz
AG057S-A-H-8-4-IP68-V1	IP68	5.7	1440 x 720	Android 8.1	1.8-2 GHz
AG059S-A-F-8-4-IP68-V1	IP68	5.99	2160 X 1080	Android 8.1	2.5 GHz



Thank You



**Off the Shelf Displays
Display Solutions
Repair Services
Turnkey and Design**



Advanced LCD Solutions Specialist

AGDisplays, a dba of AssetGenie, Inc.
220 Huff Ave, Suite 400
Greensburg, PA 15601
Ph: 724-552-4904
Fax: 724-552-4905
agdisplays.com
sales@agdisplays.com

