



220 Huff Ave, Suite 400
Greensburg, PA 15601



PH: (724) 552-4904
F: (724) 552-4905



sales@agdisplays.com
agdisplays.com



HANDHELD TABLET DISPLAYS



**Handheld and
Rugged Tablets**

About Us

For over a decade AGDisplays has been a leading provider of high quality LCD enhancement products and services for the industrial markets. We lead the way in offering an extensive range of custom panel solutions that improve standard display attributes while maximizing performance in any environment. The AGDisplays teams are experts in LCDs, from building simple or complex designs to integration work including ruggedization.

In our 124,000 sq foot facility, we offer over 800 off the shelf products that include tablets, open and closed frame LCDs and much more. Our knowledge in innovative LCD technology and our high-quality control standards separate us from the rest. At AGDisplays, our teams have a true commitment to becoming your trusted partner.



Our Services

- Off the Shelf Products
- High Bright Integration
- NVIS Design & Integration
- Touchscreen Integration
- Custom Glass Supply
- Film Enhancements
- Bonding Services
- Custom LED and Controllers
- Lifecycle Management
- Ruggedization
- Turnkey & Design Services
- EMI Shielding
- Drop In Replacement
- Integration and Assembly
- Complex Industrial Repairs
- Post & Extended Warranty
- Parts Management
- Zero Faulty Pixel Inspection

Industries We Serve

MILITARY



AVIONICS



HOTEL



MARINE



MARKETING



MEDICAL



RESTAURANT



RETAIL



TRANSPORTATION



Tablets

Part Number	Size	IP Rating	Resolution	Operating System	Processor Speed
AG070-A-WX-4-2-IP67-VB	7"	IP67	1280x800	Android 6.0	1.3GHz
AG070-A-WX-4-2-IP67-V1	7"	IP67	1280x800	Android 6.0	1.3GHz
AG070-A-HD-4-3-IP67-V1	7"	IP67	1280x720	Android 5.1	1.5GHz
AG070-A-WX-1-1-IP68-V1	7"	IP68	1280x800	Android 4.4.2	1.3 GHz
AG070-A-WS-4-1-IP00-V2	7"		1024x600	Android 6.0	
AG070-A-HD-4-1-IP00-V1	7"		1280x800	Android 7.0	
AG070-A-WS-4-1-IP00-VB	7"		1024x600	Android 6.0	1.0 GHz
AG070-A-WS-4-1-IPNA-VC	7"		1024x600	Android 7.1	1.3 GHz
AG070-A-H-4-3-IP65-V1	7"	IP65	1280x720	Android 5.1	1.5 GHz
AG070-A-WS-4-1-IPNA-V1	7"		1024x600	Android 4.4	1.2 GHz
AG070-A-WS-4-1-IPNA-VB	7"		1024x600	Android 5.1	1.3 GHz
AG070-A-WV-1-0-IP64-V1	7"	IP64	800x480	Android 2.3	1.0 GHz
AG070-W-WV-1-0-IP64-V1	7"	IP64	800x480	WinCE 7.0	1.0 GHz
AG070-L-WV-1-0-IP64-V1	7"	IP64	800x480	Linux 2.6.35 + debian 6	1.0 GHz
AG070-A-WV-2-1-IP64-V1	7"	IP64	800x480	Android 5.5.1	1.0 GHz
AG070-W-WV-2-1-IP64-V1	7"	IP64	800x480	WinCE 7.0	1.0 GHz
AG070-L-WV-2-1-IP64-V1	7"	IP64	800x480	Linux Debian8	1.0 GHz
AG070-A-WV-4-1-IPNA-V1	7"		800x480	Android 5.1.1	1.1 GHz
AG070-W-WV-2-2-IPNA-V1	7"		800x480	Windows 7	1.86 GHz
AG070-W-WV-2-2-IPNA-V2	7"		800x480	Windows 7 Embedded	1.86 GHz
AG070-W-WV-2-2-IPNA-V3	7"		800x480	Windows 8	1.86 GHz
AG070-L-WV-2-2-IPNA-V1	7"		800x480	Linux	1.86 GHz
AG070-U-WX-4-2-IPNA-V1	7"		1280x800	Windows 10 W/Bing + Android 4.4 (dual Boot)	1.83 GHz max
AG070-A-WS-4-1-IPNA-V2	7"		1024x600	Android 4.4	
AG070-A-H-4-3-IP67-VB	7"	IP67	1280x720	Android 5.1	1.5 GHz
AG080-A-WX-4-1-IP68-V1	8"	IP68	800x1280	Android 5.1	1.33Ghz-1.83GHz



Tablets



Part Number	Size	IP Rating	Resolution	Operating System	Processor Speed
AG080-W-WX-4-1-IP68-V1	8"	IP68	800x1280	Windows 10	1.33Ghz-1.83Ghz
AG080-A-F-8-3-IP68-V1	8"	IP68	1280x800; 1920x1080 optional	Android 7.0	1.5 GHz
AG080-A-F-8-3-IP68-V2	8"	IP68	1280x800; 1920x1080 optional	Android 7.1	1.5 GHz
AG089-U-F-4-4-IPNA-V1	8.9"		1920x1200	Windows 10 x64-bit W/ Bing + Android 4.4 (dual Boot)	1.84 GHz
AG101-A-F-4-2-IPNA-V1	10.1"		2560x1600	Android 6.1	1.5-1.8GHz
AG101-W-SX-4-2-IP65-V3	10.1"	IP65	1280x800	Windows 10 Home	
AG101-A-SX-4-2-IP65-V2	10.1"	IP65	1280x800	Android 5.1 OS	
AG101-A-SX-4-1-IPNA-V1	10.1"		1280x800	Android 5.1	1.6 GHz
AG101-W-SX-4-2-IPNA-V1	10.1"	IP65	1280x800	Windows 10 home	
AG101-A-SX-4-2-IPNA-V1	10.1"	IP65	1280x800	Android 5.1	
AG101-A-SX-4-2-IP65-V4	10.1"	IP65	1280x800	Android 4.4	1.33-1.8GHz
AG101-A-SX-4-2-IP65-V3	10.1"	IP65	1280x800	Android 5.1	1.44GHz, Turbo 1.92GHz
AG101-W-SX-4-2-IP65-V1	10.1"	IP65	1280x800	Win. 10 Home	1.33-1.8GHz
AG101-W-SX-4-2-IP65-V2	10.1"	IP65	1280x800	Windows 10 Home	1.44GHz, Turbo 1.92GHz
AG101-L-WX-4-2-IP65-V1	10.1"	IP65	1280x800; 1920x1200 optional	Linux Ubuntu V16.4	2.16 GHz
AG101-L-WX-4-2-IP65-V2	10.1"	IP65	1280x800; 1920x1200 optional	Linux V16.6	2.16 GHz
AG101-W-WX-4-2-IP65-V1	10.1"	IP65	1280x800; 1920x1200 optional	Windows 7	2.16 GHz

Tablets

Part Number	Size	IP Rating	Resolution	Operating System	Processor Speed
AG101-W-WX-4-2-IP65-V2	10.1"	IP65	1280x800; 1920x1200 optional	Windows 10	2.16 GHz
AG101WX-A-4-2-IP65-V1	10.1"	IP65	1366x768	Android 4.4.2	1.6 GHz
AG101WX-A-4-1-IPNA-V1	10.1"		1280x800	Android 4.4.2	1.4 GHz
AG101-A-WX-8-2-IPNA-V1	10.1"		1280x800	Android 6.0.1	1.2 GHz
AG101-A-WX-2-1-IPNA-V1	10.1"		1280x800	Android 4.4.2	1.2 GHz
AG101-A-F-8-2-IPNA-V1	10.1"		1200x1920	Android 6.0	1.5 GHz
AG108-U-WX-4-2-IPNA-V1	10.8"		1920x1080	Windows 10 W/Bing + Android 5.1 (dual Boot)	
AG140-A-F-4-2-IPNA-V1	14"		1920x1080	Android 6.0	1.8 GHz
AG150-A-X-8-2-IPNA-V1	15"		1024x768	Android 6.0	
AG150-A-X-8-2-IP65-V1	15"	IP65	1024x768	Android 6.0	



Thank You



**Off the Shelf Displays
Display Solutions
Repair Services
Turnkey and Design**



Advanced LCD Solutions Specialist

AGDisplays, a dba of AssetGenie, Inc.
220 Huff Ave, Suite 400
Greensburg, PA 15601
Ph: 724-552-4904
Fax: 724-552-4905
agdisplays.com
sales@agdisplays.com

