



220 Huff Ave, Suite 400
Greensburg, PA 15601



PH: (724) 552-4904
F: (724) 552-4905



sales@agdisplays.com
agdisplays.com



TOUCHSCREEN TABLES



Entertainment
Home Furniture
Coffee Tables

About Us

For over a decade AGDisplays has been a leading provider of high quality LCD enhancement products and services for the industrial markets. We lead the way in offering an extensive range of custom panel solutions that improve standard display attributes while maximizing performance in any environment. The AGDisplays teams are experts in LCDs, from building simple or complex designs to integration work, including ruggedization.

We offer over 800 off the shelf products that include tablets, open and closed frame LCDs and much more. Our knowledge in innovative LCD technology and our high-quality control standards separate us from the rest. At AGDisplays, our teams have a true commitment to becoming your trusted partner.



Our Services

- Off the Shelf Products
- High Bright Integration
- NVIS Design & Integration
- Touchscreen Integration
- Custom Glass Supply
- Film Enhancements
- Bonding Services
- Custom LED and Controllers
- Lifecycle Management
- Ruggedization
- Turnkey & Design Services
- EMI Shielding
- Drop In Replacement
- Integration and Assembly
- Complex Industrial Repairs
- Post & Extended Warranty
- Parts Management
- Zero Faulty Pixel Inspection

Industries We Serve

MILITARY



AVIONICS



HOTEL



MARINE



MARKETING



MEDICAL



RESTAURANT



RETAIL



TRANSPORTATION



Touchscreen Table Applications

Applications

- Check In Kiosks
- Classroom Learning
- Coffee Tables
- Collaboration Tables
- Conference Tables
- Entertainment Parks
- Gaming
- Hotel Lobbies
- Information Kiosks
- Interactive Bar Table
- Point of Sale
- Waiting Areas



Featured Touch Table



LCD Size	46" Samsung & LG Full New 100% A+ Grade Brand Panel
Resolution	1080x1920
Display Size	573 mm x 1019 mm
Display Ratio	16:9
Viewing Angle	178°/178°
PC - Windows 7	
Standard CPU/RAM	G61 CPU:G620 / 2GB Hard disk: 500GB
Superior CPU/RAM	G61 CPU:I3 2120 / 4GB Hard disk: 500GB
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	VGA/HDMI/USB
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	1/2/4/6 dots (optional)
Power	140W

Backlight	LED
Operating System	Windows 7 or Android 4.2
Brightness	450-750 nits
Contrast Ratio	5000:1
Color	16.7M
Android 4.2	
Standard CPU/RAM	CPU:A10 1.8 Single-core / 8G
Superior CPU/RAM	--
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	HDMI/USB/SD
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	2 dots
Power	120W

22"-32" Touch Tables

Part Number	Size	Brightness	OS	Resolution	Interface	Other Sizes Available
AG220HM-TT-IG-W1	22"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	22"
AG220HM-TT-IG-A1	22"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	22"
AG320ZM-TT-IG-W1	32"	450 nits	Windows 7	1366x768	VGA/HDMI/USB	
AG320ZM-TT-IG-A1	32"	450 nits	Android 4.2	1366x768	HDMI/USB/SD	
AG320HM-TT-IG-W1	32"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	32" 42" 46" 55"
AG320HM-TT-IG-A1	32"	450 nits	Android 4.4	1080x1920	HDMI/USB/SD	32" 42" 46" 55"
AG320HM-TT-IG-W2	32"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	
AG320HM-TT-IG-A2	32"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	
AG320HM-TT-IG-W3	32"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	32" 42" 46" 55" 65" 70"
AG320HM-TT-IG-A3	32"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	32" 42" 46" 55" 65" 70"
AG320ZM-TT-IG-W2	32"	450 nits	Windows 7	1366x768	VGA/HDMI/USB	
AG320ZM-TT-IG-A2	32"	450 nits	Android 4.2	1366x768	HDMI/USB/SD	



Featured Touch Tables



LCD Size	32" Samsung & LG Full New 100% A+ Grade Brand Panel
Resolution	1080x1920
Display Size	700 mm x 392 mm
Display Ratio	16:9
Viewing Angle	178°/178°
PC - Windows 7	
Standard CPU/RAM	G61 CPU:G620 / 2GB Hard disk: 500GB
Superior CPU/RAM	G61 CPU:I3 2120 / 4GB Hard disk: 500GB
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	VGA/HDMI/USB
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	1/2/4/6 dots (optional)
Power	140W

Backlight	LED
Operating System	PC or Android
Brightness	450 nits
Contrast Ratio	5000:1
Color	16.7M
Android 4.2	
Standard CPU/RAM	CPU:A10 1.8 Single-core / 8G
Superior CPU/RAM	--
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	HDMI/USB/SD
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	2 dots
Power	120W

42"-46" Touch Tables

Part Number	Size	Brightness	OS	Resolution	Interface	Other Sizes Available
AG420HM-TT-IG-W1	42"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	42" 46" 55" 65"
AG420HM-TT-IG-A1	42"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	42" 46" 55" 65"
AG420HM-TT-IG-W2	42"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	42"
AG420HM-TT-IG-A2	42"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	42"
AG420HM-TT-IG-W3	42"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	42" 46" 55" 65"
AG420HM-TT-IG-A3	42"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	42" 46" 55" 65"
AG420HM-TT-IG-W6	42"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	42"
AG420HM-TT-IG-A6	42"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	42"
AG460HM-TT-IG-W1	46"	450-750 nits	Windows 7	1080x1920	VGA/HDMI/USB	42" 46" 55" 65" 70"
AG460HM-TT-IG-A1	46"	450-750 nits	Android 4.2	1080x1920	HDMI/USB/SD	42" 46" 55" 65" 70"
AG460HM-TT-IG-W2	46"	450-750 nits	Windows 7	1080x1920	VGA/HDMI/USB	
AG460HM-TT-IG-A2	46"	450-750 nits	Android 4.2	1080x1920	HDMI/USB/SD	
AG460HM-TT-IG-W3	46"	450-750 nits	Windows 7	1080x1920	VGA/HDMI/USB	42" 46" 55" 65" 70"
AG460HM-TT-IG-A3	46"	450-750 nits	Android 4.2	1080x1920	HDMI/USB/SD	42" 46" 55" 65" 70"
AG460HM-TT-IG-W4	46"	450-750 nits	Windows 7	1080x1920	VGA/HDMI/USB	
AG460HM-TT-IG-A4	46"	450-750 nits	Android 4.2	1080x1920	HDMI/USB/SD	
AG460HM-TT-IG-W5	46"	450-750 nits	Windows 7	1080x1920	VGA/HDMI/USB	42" 46" 55" 65"
AG460HM-TT-IG-A5	46"	450-750 nits	Android 4.2	1080x1920	HDMI/USB/SD	42" 46" 55" 65"
AG460HM-TT-IG-W6	46"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	32" 42" 46" 55" 65"
AG460HM-TT-IG-A6	46"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	32" 42" 46" 55" 65"



Touch Table Highlights



AG320HM-TT-IG-W2

LCD Size	32" A+ Grade Samsung/LG Panel
Display Size	700mm (H) x 392mm (V)
Resolution	1080x1920
Brightness	450 nits
Operating Systems	Windows 7
Viewing Angle	178°/178°
Color	16.7M
Contrast Ratio	5000:1
Touchscreen	IR Touch (touch foil, capacitive)



AG320ZM-TT-IG-A2

LCD Size	32" A+ Grade Samsung/LG Panel
Display Size	700mm (H) x 392mm (V)
Resolution	1366x768
Brightness	450 nits
Operating Systems	Android 4.2 (can upgrade)
Viewing Angle	178°/178°
Color	16.7M
Contrast Ratio	5000:1
Touchscreen	IR Touch (touch foil, capacitive)



AG420HM-TT-IG-A6

LCD Size	42" A+ Grade Samsung/LG Panel
Display Size	930 mm (H) x 523 mm (V)
Resolution	1080x1920
Brightness	450 nits
Operating Systems	Android 4.2 (can upgrade)
Viewing Angle	178°/178°
Color	16.7M
Contrast Ratio	5000:1
Touchscreen	IR Touch (touch foil, capacitive)



AG320HM-TT-IG-W1

LCD Size	32" A+ Grade Samsung/LG Panel
Display Size	1209 mm (H) x 680 mm (V)
Resolution	1080x1920
Brightness	450 nits
Operating Systems	Windows 7
Viewing Angle	178°/178°
Color	16.7M
Contrast Ratio	5000:1
Touchscreen	IR Touch (touch foil, capacitive)

Featured Touch Table



LCD Size	46" Samsung & LG Full New 100% A+ Grade Brand Panel
Resolution	1080x1920
Display Size	573 mm x 1019 mm
Display Ratio	16:9
Viewing Angle	178°/178°

PC - Windows 7

Standard CPU/RAM	G61 CPU:G620 / 2GB Hard disk: 500GB
Superior CPU/RAM	G61 CPU:I3 2120 / 4GB Hard disk: 500GB
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	VGA/HDMI/USB
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	1/2/4/6 dots (optional)
Power	140W

Backlight	LED
Operating System	Windows 7 or Android 4.2
Brightness	450-750 cd/m²
Contrast Ratio	5000:1
Color	16.7M

Android 4.2

Standard CPU/RAM	CPU:A10 1.8 Single-core / 8G
Superior CPU/RAM	--
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	HDMI/USB/SD
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	2 dots
Power	120W

55"-65" Touch Tables

Part Number	Size	Brightness	OS	Resolution	Interface	Other Sizes Available
AG550HM-TT-IG-W1	55"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	42" 46" 55" 65" 70"
AG550HM-TT-IG-A1	55"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	42" 46" 55" 65" 70"
AG550HM-TT-IG-W2	55"	450 nits	Windows 7	1209x680	VGA/HDMI/USB	42" 46" 55" 65"
AG550HM-TT-IG-A2	55"	450 nits	Android 4.2	1209x680	HDMI/USB/SD	42" 46" 55" 65"
AG650HM-TT-IG-W1	65"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	42" 46" 55" 65"
AG650HM-TT-IG-A1	65"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	42" 46" 55" 65"
AG650HM-TT-IG-W2	65"	450 nits	Windows 7	1080x1920	VGA/HDMI/USB	42" 46" 55" 65"
AG650HM-TT-IG-A2	65"	450 nits	Android 4.2	1080x1920	HDMI/USB/SD	42" 46" 55" 65"



Thank You



**Off the Shelf Displays
Display Solutions
Repair Services
Turnkey and Design**



Advanced LCD Solutions Specialist

AGDisplays, a dba of AssetGenie, Inc.
220 Huff Ave, Suite 400
Greensburg, PA 15601
Ph: 724-552-4904
Fax: 724-552-4905
agdisplays.com
sales@agdisplays.com

