



220 Huff Ave, Suite 400  
Greensburg, PA 15601



PH: (724) 552-4904  
F: (724) 552-4905



sales@agdisplays.com  
agdisplays.com



Advanced LCD Solutions Specialist

# TOUCH SCREEN TABLES



**ENTERTAINMENT  
HOME FURNITURE  
COFFEE TABLES**

# About Us



For over a decade AGDisplays has been a leading provider of high quality LCD enhancement products and services for the industrial markets. We lead the way in offering an extensive range of custom panel solutions that improve standard display attributes while maximizing performance in any environment. The AGDisplays teams are experts in LCDs, from building simple or complex designs to integration work including ruggedization.


In our 124,000 sq. foot facility, we offer over 800 off the shelf products that include tablets, open and closed frame LCDs and much more. Our knowledge in innovative LCD technology and our high-quality control standards separate us from the rest. At AGDisplays, our teams have a true commitment to becoming your trusted partner.



## OUR SERVICES

- Off The Shelf LCD Products
- NVIS Integration and Design
- OCA, Optical & Bonding Services
- Custom LED Integration & Design
- Touch Screen Integration & Design
- Custom Glass Supply Services
- Turnkey & Design Services
- EMI Shielding & Design

- Film Enhancements & Repolarization
- Certificated FAA Part 145 Repair Station
- Component Assembly & Integration
- LCD Controller, Cabling & Design
- Testing/Certification of EOL Panels
- Drop-in Replacement
- Industrial Repair Program
- Zero Dead Pixel Inspection



# Industries Served



## MILITARY



## AVIONICS



## HOTEL



## MARINE



## MARKETING



## MEDICAL



## RESTAURANT



## RETAIL



## TRANSPORTATION



# Applications



**CHECK IN KIOSKS  
CLASSROOM LEARNING  
COFFEE TABLES  
COLLABORATION TABLES  
CONFERENCE TABLES  
ENTERTAINMENT PARKS  
GAMING  
HOTEL LOBBIES  
INFORMATION KIOSKS  
INTERACTIVE BAR TABLE  
POINT OF SALE  
WAITING AREAS**

# Featured Touch Table



## AG460HM-TT-IG-W4 / AG460HM-TT-IG-A4

LCD Size	46" Samsung & LG Full New 100% A+ Grade LCD
Resolution	1080x1920
Display Size	573 mm x 1019 mm
Display Ratio	16:9
Viewing Angle	178°/178°
	PC - Windows 7
Standard CPU/RAM	G61 CPU:G620 / 2GB Hard disk: 500GB
Superior CPU/RAM	G61 CPU:I3 2120 / 4GB Hard disk: 500GB
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	VGA/HDMI/USB
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	1/2/4/6 dots (optional)
Power	140W

Backlight	LED
Operating System	Windows 7 or Android 4.2
Brightness	450-750 nits
Contrast Ratio	5000:1
Color	16.7M
	Android 4.2
Standard CPU/RAM	CPU:A10 1.8 Single-core / 8G
Superior CPU/RAM	--
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	HDMI/USB/SD
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	2 dots
Power	120W

NOTE: specifications subject to change without notice.

# 22-32" Touch Tables



Part Number	Size	Brightness	OS	Resolution	Other Sizes Available
AG220HM-TT-IG-W1	22"	450 nits	Windows 7	1080x1920	22"
AG220HM-TT-IG-A1	22"	450 nits	Android 4.2	1080x1920	22"
AG320ZM-TT-IG-W1	32"	450 nits	Windows 7	1366x768	
AG320ZM-TT-IG-A1	32"	450 nits	Android 4.2	1366x768	
AG320HM-TT-IG-W1	32"	450 nits	Windows 7	1080x1920	32" 42" 46" 55"
AG320HM-TT-IG-A1	32"	450 nits	Android 4.4	1080x1920	32" 42" 46" 55"
AG320HM-TT-IG-W2	32"	450 nits	Windows 7	1080x1920	
AG320HM-TT-IG-A2	32"	450 nits	Android 4.2	1080x1920	
AG320HM-TT-IG-W3	32"	450 nits	Windows 7	1080x1920	32" 42" 46" 55" 65" 70"
AG320HM-TT-IG-A3	32"	450 nits	Android 4.2	1080x1920	32" 42" 46" 55" 65" 70"
AG320ZM-TT-IG-W2	32"	450 nits	Windows 7	1366x768	
AG320ZM-TT-IG-A2	32"	450 nits	Android 4.2	1366x768	



NOTE: specifications subject to change without notice.

# Featured Touch Table



## AG320HM-TT-IG-W3 / AG320HM-TT-IG-A3

LCD Size	32" Samsung & LG Full New 100% A+ Grade LCD
Resolution	1080x1920
Display Size	700 mm x 392 mm
Display Ratio	16:9
Viewing Angle	178°/178°
	<b>PC - Windows 7</b>
Standard CPU/RAM	G61 CPU:G620 / 2GB Hard disk: 500GB
Superior CPU/RAM	G61 CPU:I3 2120 / 4GB Hard disk: 500GB
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	VGA/HDMI/USB
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	1/2/4/6 dots (optional)
Power	140W

Backlight	LED
Operating System	PC or Android
Brightness	450 nits
Contrast Ratio	5000:1
Color	16.7M
	<b>Android 4.2</b>
Standard CPU/RAM	CPU:A10 1.8 Single-core / 8G
Superior CPU/RAM	--
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	HDMI/USB/SD
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	2 dots
Power	120W

NOTE: specifications subject to change without notice.

# 42-46" Touch Tables



Part Number	Size	Brightness	OS	Resolution	Other Sizes Available
AG420HM-TT-IG-W1	42"	450 nits	Windows 7	1080x1920	42" 46" 55" 65"
AG420HM-TT-IG-A1	42"	450 nits	Android 4.2	1080x1920	42" 46" 55" 65"
AG420HM-TT-IG-W2	42"	450 nits	Windows 7	1080x1920	42"
AG420HM-TT-IG-A2	42"	450 nits	Android 4.2	1080x1920	42"
AG420HM-TT-IG-W3	42"	450 nits	Windows 7	1080x1920	42" 46" 55" 65"
AG420HM-TT-IG-A3	42"	450 nits	Android 4.2	1080x1920	42" 46" 55" 65"
AG420HM-TT-IG-W6	42"	450 nits	Windows 7	1080x1920	42"
AG420HM-TT-IG-A6	42"	450 nits	Android 4.2	1080x1920	42"
AG460HM-TT-IG-W1	46"	450-750 nits	Windows 7	1080x1920	42" 46" 55" 65" 70"
AG460HM-TT-IG-A1	46"	450-750 nits	Android 4.2	1080x1920	42" 46" 55" 65" 70"
AG460HM-TT-IG-W2	46"	450-750 nits	Windows 7	1080x1920	
AG460HM-TT-IG-A2	46"	450-750 nits	Android 4.2	1080x1920	
AG460HM-TT-IG-W3	46"	450-750 nits	Windows 7	1080x1920	42" 46" 55" 65" 70"
AG460HM-TT-IG-A3	46"	450-750 nits	Android 4.2	1080x1920	42" 46" 55" 65" 70"
AG460HM-TT-IG-W4	46"	450-750 nits	Windows 7	1080x1920	
AG460HM-TT-IG-A4	46"	450-750 nits	Android 4.2	1080x1920	
AG460HM-TT-IG-W5	46"	450-750 nits	Windows 7	1080x1920	42" 46" 55" 65"
AG460HM-TT-IG-A5	46"	450-750 nits	Android 4.2	1080x1920	42" 46" 55" 65"
AG460HM-TT-IG-W6	46"	450 nits	Windows 7	1080x1920	32" 42" 46" 55" 65"



NOTE: specifications subject to change without notice.



# Touch Table Highlights



## AG320HM-TT-IG-W2

LCD Size	32" A+ Grade Samsung/LG Panel
Display Size	700mm (H) x 392mm (V)
Resolution	1080x1920
Brightness	450 nits
Operating Systems	Windows 7
Viewing Angle	178°/178°
Color	16.7M
Contrast Ratio	5000:1
Touchscreen	IR Touch (touch foil, capacitive)



## AG320ZM-TT-IG-A2

LCD Size	32" A+ Grade Samsung/LG Panel
Display Size	700mm (H) x 392mm (V)
Resolution	1366x768
Brightness	450 nits
Operating Systems	Android 4.2 (can upgrade)
Viewing Angle	178°/178°
Color	16.7M
Contrast Ratio	5000:1
Touchscreen	IR Touch (touch foil, capacitive)



## AG420HM-TT-IG-A6

LCD Size	42" A+ Grade Samsung/LG Panel
Display Size	930 mm (H) x 523 mm (V)
Resolution	1080x1920
Brightness	450 nits
Operating Systems	Android 4.2 (can upgrade)
Viewing Angle	178°/178°
Color	16.7M
Contrast Ratio	5000:1
Touchscreen	IR Touch (touch foil, capacitive)



## AG320HM-TT-IG-W1

LCD Size	32" A+ Grade Samsung/LG Panel
Display Size	1209 mm (H) x 680 mm (V)
Resolution	1080x1920
Brightness	450 nits
Operating Systems	Windows 7
Viewing Angle	178°/178°
Color	16.7M
Contrast Ratio	5000:1
Touchscreen	IR Touch (touch foil, capacitive)

NOTE: specifications subject to change without notice.

# Featured Touch Table



## AG460HM-TT-IG-W5 / AG460HM-TT-IG-A5

LCD Size	46" Samsung & LG Full New 100% A+ Grade Brand Panel
Resolution	1080x1920
Display Size	573 mm x 1019 mm
Display Ratio	16:9
Viewing Angle	178° / 178°
	<b>PC - Windows 7</b>
Standard CPU/RAM	G61 CPU:G620 / 2GB Hard disk: 500GB
Superior CPU/RAM	G61 CPU:I3 2120 / 4GB Hard disk: 500GB
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	VGA/HDMI/USB
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	1/2/4/6 dots (optional)
Power	140W

Backlight	LED
Operating System	Windows 7 or Android 4.2
Brightness	450-750 cd/m <sup>2</sup>
Contrast Ratio	5000:1
Color	16.7M
	<b>Android 4.2</b>
Standard CPU/RAM	CPU:A10 1.8 Single-core / 8G
Superior CPU/RAM	--
Connection	RJ45, 3G, WIFI (optional)
Voltage	AC100-240V 50/60HZ
Interface	HDMI/USB/SD
Touchscreen	IR touch screen (touch foil, capacitive); finger, touchpen activation
Touch Dots	2 dots
Power	120W

NOTE: specifications subject to change without notice.

# 55-65" Touch Tables



Part Number	Size	Brightness	OS	Resolution	Other Sizes Available
AG550HM-TT-IG-W1	55"	450 nits	Windows 7	1080x1920	42" 46" 55" 65" 70"
AG550HM-TT-IG-A1	55"	450 nits	Android 4.2	1080x1920	42" 46" 55" 65" 70"
AG550HM-TT-IG-W2	55"	450 nits	Windows 7	1209x680	42" 46" 55" 65"
AG550HM-TT-IG-A2	55"	450 nits	Android 4.2	1209x680	42" 46" 55" 65"
AG650HM-TT-IG-W1	65"	450 nits	Windows 7	1080x1920	42" 46" 55" 65"
AG650HM-TT-IG-A1	65"	450 nits	Android 4.2	1080x1920	42" 46" 55" 65"
AG650HM-TT-IG-W2	65"	450 nits	Windows 7	1080x1920	42" 46" 55" 65"
AG650HM-TT-IG-A2	65"	450 nits	Android 4.2	1080x1920	42" 46" 55" 65"



NOTE: specifications subject to change without notice.

